

Copyright 2002 and 2005 by The American Institute of Architects (AIA)

Exclusively published and distributed by Architectural Computer Services, Inc. (ARCOM) for the AIA

## SECTION 017839 - PROJECT RECORD DOCUMENTS

This Section uses the term "Architect." Change this term to match that used to identify the design professional as defined in the General and Supplementary Conditions.

Verify that Section titles referenced in this Section are correct for this Project's Specifications; Section titles may have changed.

### PART 1 - GENERAL

#### 1.1 SUMMARY

- A. This Section includes administrative and procedural requirements for Project Record Documents, including the following:

Adjust list below to suit Project.

1. Record Drawings.
  2. Record Specifications.
  3. Record Product Data.
- B. See Division 01 Section "Operation and Maintenance Data" for operation and maintenance manual requirements.
- C. See Divisions 02 through 49 Sections for specific requirements for Project Record Documents of the Work in those Sections.

#### 1.2 SUBMITTALS

Revise first paragraph and subparagraphs below if Contractor is allowed to submit marked-up Record Drawings in operation and maintenance manuals. See Evaluations.

- A. Record Drawings: Comply with the following:
1. Number of Copies: Submit **[one]** <Insert number> set(s) of marked-up Record Prints.

Retain subparagraph above or subparagraph and associated subparagraphs below. Below involves Architect in Record Drawing procedure, which creates potential liability. See Evaluations.

2. Number of Copies: Submit copies of Record Drawings as follows:
  - a. Initial Submittal: Submit **[one]** <Insert number> set(s) of **[corrected Record Transparencies]** **[plots from corrected Record CAD Drawings]** and **[one]**

<Insert number> set(s) of marked-up Record Prints. Architect will initial and date each [transparency] [plot] and mark whether general scope of changes, additional information recorded, and quality of drafting are acceptable. Architect will return [transparencies] [plots] and prints for organizing into sets, printing, binding, and final submittal.

b. Final Submittal: Submit [one] <Insert number> set(s) of marked-up Record Prints, and the following:

- 1) Record Transparencies: [One] <Insert number> set(s).
- 2) Record CAD Drawing Files and Plots: [One] <Insert number> set(s).
- 3) Copies printed from Record [Transparencies] [CAD Drawing Plots]: [Three] <Insert number>. [Print] [Plot and print] each Drawing, whether or not changes and additional information were recorded.

B. Record Specifications: Submit [one copy] [<Insert number> copies] of Project's Specifications, including addenda and contract modifications.

C. Record Product Data: Submit [one copy] [<Insert number> copies] of each Product Data submittal.

## PART 2 - PRODUCTS

### 2.1 RECORD DRAWINGS

A. Record Prints: Maintain one set of blue- or black-line white prints of the Contract Drawings and Shop Drawings.

1. Preparation: Mark Record Prints to show the actual installation where installation varies from that shown originally. Require individual or entity who obtained record data, whether individual or entity is Installer, subcontractor, or similar entity, to prepare the marked-up Record Prints.

- a. Give particular attention to information on concealed elements that would be difficult to identify or measure and record later.
- b. Record data as soon as possible after obtaining it. Record and check the markup before enclosing concealed installations.

2. Mark the Contract Drawings or Shop Drawings, whichever is most capable of showing actual physical conditions, completely and accurately. If Shop Drawings are marked, show cross-reference on the Contract Drawings.

3. Mark record sets with erasable, red-colored pencil. Use other colors to distinguish between changes for different categories of the Work at same location.

4. Note Construction Change Directive numbers, alternate numbers, Change Order numbers, and similar identification, where applicable.

B. Record Transparencies: Immediately before inspection for Certificate of Substantial Completion, review marked-up Record Prints with Architect. When authorized, prepare a full set of corrected transparencies of the Contract Drawings and Shop Drawings.

1. Incorporate changes and additional information previously marked on Record Prints. Erase, redraw, and add details and notations where applicable.
2. Refer instances of uncertainty to Architect for resolution.
3. Owner will furnish Contractor one set of transparencies of the Contract Drawings for use in recording information.

Retain subparagraph above or below.

4. Print the Contract Drawings and Shop Drawings for use as Record Transparencies. Architect will make the Contract Drawings available to Contractor's print shop.

In first paragraph and subparagraphs below, architects may want to delete titleblock information from CAD files provided to Contractor. See Evaluations. Consult Owner for format required.

- C. Record CAD Drawings: Immediately before inspection for Certificate of Substantial Completion, review marked-up Record Prints with Architect. When authorized, prepare a full set of corrected CAD Drawings of the Contract Drawings, as follows:
1. Format: **[Same CAD program, version, and operating system as the original Contract Drawings]** <Insert program, version, and operating system>.
  2. Incorporate changes and additional information previously marked on Record Prints. Delete, redraw, and add details and notations where applicable.
  3. Refer instances of uncertainty to Architect for resolution.
  4. Architect will furnish Contractor one set of CAD Drawings of the Contract Drawings for use in recording information.
    - a. Architect makes no representations as to the accuracy or completeness of CAD Drawings as they relate to the Contract Drawings.
    - b. CAD Software Program: The Contract Drawings are available in <Insert name and version of CAD program and operating system>.
- D. Format: Identify and date each Record Drawing; include the designation "PROJECT RECORD DRAWING" in a prominent location.
1. Record Prints: Organize Record Prints and newly prepared Record Drawings into manageable sets. Bind each set with durable paper cover sheets. Include identification on cover sheets.
  2. Record Transparencies: Organize into unbound sets matching Record Prints. Place transparencies in durable tube-type drawing containers with end caps. Mark end cap of each container with identification. If container does not include a complete set, identify Drawings included.
  3. Record CAD Drawings: Organize CAD information into separate electronic files that correspond to each sheet of the Contract Drawings. Name each file with the sheet identification. Include identification in each CAD file.
  4. Identification: As follows:
    - a. Project name.
    - b. Date.
    - c. Designation "PROJECT RECORD DRAWINGS."
    - d. Name of Architect.
    - e. Name of Contractor.

## 2.2 RECORD SPECIFICATIONS

- A. Preparation: Mark Specifications to indicate the actual product installation where installation varies from that indicated in Specifications, addenda, and contract modifications.
1. Give particular attention to information on concealed products and installations that cannot be readily identified and recorded later.
  2. Mark copy with the proprietary name and model number of products, materials, and equipment furnished, including substitutions and product options selected.
  3. Record the name of manufacturer, supplier, Installer, and other information necessary to provide a record of selections made.
  4. Note related Change Orders[, **Record Product Data,**] and Record Drawings where applicable.

## 2.3 RECORD PRODUCT DATA

- A. Preparation: Mark Product Data to indicate the actual product installation where installation varies substantially from that indicated in Product Data submittal.
1. Give particular attention to information on concealed products and installations that cannot be readily identified and recorded later.
  2. Include significant changes in the product delivered to Project site and changes in manufacturer's written instructions for installation.
  3. Note related Change Orders[, **Record Specifications,**] and Record Drawings where applicable.

## 2.4 MISCELLANEOUS RECORD SUBMITTALS

Examples of miscellaneous Record Submittals in this Article include documentation of foundation depths, special measurements, tests and inspections, surveys, mix records, and inspections by authorities having jurisdiction. If necessary, add a list of specific submittals.

- A. Assemble miscellaneous records required by other Specification Sections for miscellaneous record keeping and submittal in connection with actual performance of the Work. Bind or file miscellaneous records and identify each, ready for continued use and reference.

## PART 3 - EXECUTION

### 3.1 RECORDING AND MAINTENANCE

- A. Recording: Maintain one copy of each submittal during the construction period for Project Record Document purposes. Post changes and modifications to Project Record Documents as they occur; do not wait until the end of Project.
- B. Maintenance of Record Documents and Samples: Store Record Documents and Samples in the field office apart from the Contract Documents used for construction. Do not use Project Record Documents for construction purposes. Maintain Record Documents in good order and

in a clean, dry, legible condition, protected from deterioration and loss. Provide access to Project Record Documents for Architect's reference during normal working hours.

END OF SECTION 017839